

Human Footprint Inventory 2016

Alberta Biodiversity Monitoring Institute

Geospatial Centre

Version 1

March 2018



Table of Contents

1. Overview	4
1.1 Summary	4
1.2 Description	4
1.3 Credits	4
Acknowledgments.....	4
1.4 Human Footprint Definition.....	5
1.5 Contact Information.....	6
1.6 Keywords.....	6
1.7 Citation.....	6
2. Use Limitations.....	7
2.1 Proprietary Sourced Data.....	7
2.2 Open Sourced Data	7
2.3 Exclusive ABMI Sourced Data	8
3. Data Product Specification.....	10
3.1 Spatial Resolution	10
3.2 Processing Environment	10
3.3 Extents.....	10
3.4 Resource Maintenance	10
3.5 Spatial Reference	10
4. Lineage	11
5. Human Footprint Inventory Integrated Dataset.....	12
6. Sublayers.....	13
01 RESERVOIRS.....	13
02 BORROW PITS, SUMPS, DUGOUTS and LAGOONS (BPSDL).....	18
03 ROADS	32
04 RAILWAY LINES – HARD SURFACE.....	41
05 CANALS.....	44
06 VEGETATED SURFACES of ROADS, TRAILS and RAILWAYS.....	47
07 MINE SITES	50
08 INDUSTRIAL SITES.....	61
09 WELL SITES ACTIVE.....	73

10 LANDFILL	76
11 OTHER VEGETATED FACILITIES and RECREATION	80
12 WIND GENERATION FACILITY.....	89
13 TRANSMISSION LINES	93
14 CFO and HIGH DENSITY LIVESTOCK.....	100
15 URBAN and RURAL RESIDENTIAL	103
16 WELL SITES ABANDONED	116
17 CULTIVATION	118
18 FOREST HARVEST AREAS.....	139
19 PIPELINES	145
20 SEISMIC LINES	150
7. Linear Features.....	155
ROAD	155
RAILWAY	155
TRANSMISSION LINES	156
PIPELINE	156
SEISMIC LINES	156
Appendix	158
Attribute List	158
Data References.....	161
Thematic Accuracy	164
Spatial (Horizontal) Accuracy	165

1. Overview

1.1 Summary

This dataset represents the 2016 Human Footprint Inventory (HFI) of Alberta (HFI2016). The 2016 HFI maps Human Footprint features across the entire province of Alberta. The dataset is intended to aid human footprint and land use inquiries in Alberta.

1.2 Description

The ABMI uses Alberta base features and other source information as the starting point for this product. Information is then further updated and added using SPOT6 satellite imagery to manually interpret anthropogenic disturbances on the land surface.

About 3.7% of the 2016 SPOT6 mosaic contains imagery acquired in 2015, therefore this dataset represents circa 2016 human footprint updates. Figure 1 and Figure 2 display spatial distribution of satellite imagery coverage for 2016 and 2015 and spatial distribution of circa 2016 Human Footprint, respectively. Representative HF polygons were delineated for 117 feature types, which were organized into 20 final sublayers.

1.3 Credits

This dataset includes data collected and created by the Alberta Human Footprint Monitoring Program and the Alberta Biodiversity Monitoring Institute.

Acknowledgments

In 2014 the Alberta Biodiversity Monitoring Institute (ABMI) started work to create a group of organizations to collaborate in the development of human footprint in a program called the Alberta Human Footprint Monitoring Program (AHFMP). The intent was to bring the expertise and resources of various government and non-government organizations to create a common database of human footprint data. (AHFMP_Footprint Data Manual.docx)

Few of the sublayers used in the public version of the 2016 Human Footprint Inventory, e.g., the enhanced sub-layers for Roads, Railways, Well Sites, were obtained from the Government of Alberta through the Alberta Human Footprint Mapping Program (AHFMP), a collaboration program between the Government of Alberta, the Alberta Biodiversity Monitoring Institute

(ABMI), and non-governmental organizations. The AHFMP governance and organization structure are designed to promote relevancy, accessibility, and transparency of human footprint information. The AHFMP organization structure includes two Steering Committees (Data Steering Committee and Stakeholder Steering Committee) and Technical Committee. The Technical Committee is directly involved in the assembling of the enhanced sub-layers (i.e., Roads, Railways, and Well Sites) and includes members from the GoA and the ABMI.

1.4 Human Footprint Definition

The ABMI defines Human Footprint (HF) as:

- the temporary or permanent transformation of native ecosystems to support residential, recreational or industrial land uses.
- Under this definition, HF includes the geographic extent of areas under human use that either have lost their natural cover for extended periods of time (**alienating HF**; e.g., cities, roads, agricultural land, and surface mines) or whose natural cover is periodically reset to earlier successional conditions by industrial activities (**successional HF**; e.g., forest harvest areas and seismic lines).
- **IMPORTANT:** this dataset does not account for succession (or reclamation) of human footprint, but treats all types of human footprint on the landscape equally!
 - Put another way, successional HF is treated the same as alienating HF despite the vegetation recovery that almost certainly will have occurred since the development. Any GIS analysis or subsequent interpretation that does not account for succession or reclamation of alienating/successional HF should be done with caution.

Physical Footprint

Definition adopted from AHFMP (Source: AHFMP_Footprint Data Manual.docx):

For the purposes of the AHFMP, this includes any direct physical modifications, temporary or permanent, that humans make to the surface of private, public, or specified (i.e., allocated through Legislation) lands. This includes the pressure (boundary), and state (attributes) of the modifications including what type of activity (well pad, road, etc.) caused the disturbance. The boundary represents the original extent of the disturbance even if the full extent is not visible.

In some situations, the extent of the disturbance was assumed based on operational requirements to construct the feature. For example, the full extent of a well pad in native grasslands is not always visible. The extent of the original disturbance is estimated based on disposition boundaries or buffering to allow for the potential disturbance resulting from the equipment used in the construction of the well pad.

1.5 Contact Information

If you have questions or concerns about the data, please contact:

Geospatial Centre
Alberta Biodiversity Monitoring Institute
CW 405 Biological Sciences Centre
University of Alberta
Edmonton, Alberta, Canada, T6G 2E9
Email: abmiinfo@ualberta.ca

1.6 Keywords

Alberta, human footprint, 2014, reservoirs, borrow pits, sumps, dugouts, lagoons, roads, rails, canals, mines, industrial, wells, landfills, recreation, wind generation facilities, transmission lines, CFO, residential, cultivation, harvested areas, pipelines, seismic lines, disturbed vegetation

1.7 Citation

ABMI Human Footprint Inventory: *Wall-to-Wall Human Footprint Inventory*. 2016. Edmonton, AB: Alberta Biodiversity Monitoring Institute and Alberta Human Footprint Monitoring Program, May 2017.

2. Use Limitations

2.1 Proprietary Sourced Data

This dataset contains data originating from proprietary sources, which has subsequently been enhanced through active visual interpretation and computer processing. The Proprietary Sourced Data shall not be used or reproduced in whole or in part or in any form. By accessing the Proprietary Sourced Data, you agree to indemnify and hold harmless the ABMI and the ABMI's subsidiaries, affiliates, related parties, officers, directors, employees, agents, independent contractors, advertisers, partners, and co-branders, from any and all actions, proceedings, claims, demands, liabilities, losses, damages, and expenses which may be brought against or suffered by the ABMI or which it may sustain, pay or incur, arising or resulting from your violation of this clause.

The Proprietary Sourced Data is provided on an "As Is" and "As Available" basis and the ABMI does not guarantee that the Proprietary Sourced Data will be suitable for your purposes or requirements. The ABMI further states that the Proprietary Sourced Data is subject to change, and the ABMI gives no guarantee that the content is complete, accurate, error or virus free, or up to date. The ABMI disclaims all warranties, conditions, and other terms of any kind, whether express or implied, whether in contract, tort (including liability for negligence) or otherwise, including, but not limited to any implied term of satisfactory quality, fitness for a particular purpose, and any standard of reasonable care and skill.

2.2 Open Sourced Data

This dataset contains data originating from open sources, which has subsequently been enhanced through active visual interpretation and computer processing. The Open Sourced Data may be reproduced in whole or in part and in any form for educational, data collection or non-profit purposes without special permission from the ABMI provided acknowledgement of the source is made. No use of the Open Sourced Data may be made for resale without prior permission in writing from the ABMI.

By accessing the Open Sourced Data, you agree to indemnify and hold harmless the ABMI and the ABMI's subsidiaries, affiliates, related parties, officers, directors, employees, agents, independent contractors, advertisers, partners, co-branders, and Open Sourced Data sources

from any and all actions, proceedings, claims, demands, liabilities, losses, damages, and expenses which may be brought against or suffered by the ABMI or which it may sustain, pay or incur, arising or resulting from your violation of this clause.

The Open Sourced Data is provided on an “As Is” and “As Available” basis and the ABMI does not guarantee that the Open Sourced Data will be suitable for your purposes or requirements. The ABMI further states that the Open Sourced Data is subject to change, and the ABMI gives no guarantee that the content is complete, accurate, error or virus free, or up to date. The ABMI disclaims all warranties, conditions, and other terms of any kind, whether express or implied, whether in contract, tort (including liability for negligence) or otherwise, including, but not limited to any implied term of satisfactory quality, fitness for a particular purpose, and any standard of reasonable care and skill.

2.3 Exclusive ABMI Sourced Data

This dataset contains data created by the ABMI through active visual interpretation and computer processing. The ABMI Sourced Data may be reproduced in whole or in part and in any form for educational, data collection or non-profit purposes without special permission from the ABMI provided acknowledgement of the source is made. No use of the ABMI Sourced Data may be made for resale without prior permission in writing from the ABMI.

By accessing the ABMI Sourced Data, you agree to indemnify and hold harmless the ABMI and the ABMI’s subsidiaries, affiliates, related parties, officers, directors, employees, agents, independent contractors, advertisers, partners, and co-branders, from any and all actions, proceedings, claims, demands, liabilities, losses, damages, and expenses which may be brought against or suffered by the ABMI or which it may sustain, pay or incur, arising or resulting from your violation of this clause.

The ABMI Sourced Data is provided on an “As Is” and “As Available” basis and the ABMI does not guarantee that the ABMI Sourced Data will be suitable for your purposes or requirements. The ABMI further states that the ABMI Sourced Data is subject to change, and the ABMI gives no guarantee that the content is complete, accurate, error or virus free, or up to date. The ABMI disclaims all warranties, conditions, and other terms of any kind, whether express or implied, whether in contract, tort (including liability for negligence) or otherwise, including, but not

limited to any implied term of satisfactory quality, fitness for a particular purpose, and any standard of reasonable care and skill.

IMPORTANT:

- Seismic lines currently available in the ABMI's HFI are not complete representation of the seismic lines existing on the land surface. The ABMI's sampling scale HF dataset (3x7km) should be used for a more detailed representation of this sub-layer.
- Linear Features dataset should be used as a supporting dataset to polygonal representation of HF features available in HFI_2016. There are areas where human footprint is captured in polygon layers (HFI_2016 and Sublayers), but is still missing in the Linear Features (Polylines).
- Available attribute values of the Linear Features dataset are limited. Polygon layers (HFI_2016 and Sublayers) should be used for geographic extent and more complete thematic information (i.e., available attribution, including source of the data).

3. Data Product Specification

3.1 Spatial Resolution

Dataset's scale denominator: 30,000

3.2 Processing Environment

Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.1.1.3300

3.3 Extents

This dataset comprises visually interpreted human footprint in Alberta circa 2014.

Geographical Extent

West Longitude: -120

East Longitude: -110

South Latitude: 49

North Latitude: 60

3.4 Resource Maintenance

Resource Maintenance updates frequency: as needed

3.5 Spatial Reference

NAD_1983_10TM_AEP_Forest

WKID: 3400 Authority: EPSG

Projection: Transverse Mercator

False Easting: 500000.0

False Northing: 0.0

Central Meridian: -115.0

Scale Factor: 0.9992

Latitude of Origin: 0.0

Linear Unit: Meter (1.0)

Geographic Coordinate System: GCS_North_American_1983

Angular Unit: Degree (0.0174532925199433)

Prime Meridian: Greenwich (0.0)

Datum: D_North_American_1983

Spheroid: GRS_1980

Semi-major Axis: 6378137.0

Semi-minor Axis: 6356752.314140356

Inverse Flattening: 298.257222101

4. Lineage

The ABMI's HFI2016 was built using open sourced, proprietary, historical, and remotely sensed data. Remotely sensed data were used for visual interpretation and heads-up digitization of human footprint features. Assessment analysis was conducted to identify new and missing features, which were then digitized and added to the 2016 dataset. This dataset is comprised of 20 unique Human Footprint categories, i.e., sub-layers. This dataset is representative of the visual interpretation of anthropogenic disturbances on the Alberta landscape as seen from SPOT6 (circa 2016) satellite imagery mosaic.

5. Human Footprint Inventory Integrated Dataset

The **HFI_2016** Feature Dataset, is a product of multiple sub-layers that have been merged together into a single layer. Each sub-layer is listed in the chapter “6 Sublayers”, including a detailed description of the layer contents, the data source, modifications made by the ABMI, associated HF codes and spatial distribution of the polygons.

The order of precedence applied during creation of the final HFI dataset, i.e., merging process of the sub-layers is provided in Table 1.

Table 1. The order of precedence applied during creation of the final HFI dataset, i.e., merging process of the sub-layers.

Order of Precedence	Sub-layer
1	Reservoirs
2	Borrow Pits, Sumps, Dugouts and Lagoons
3	Non-Vegetated Impermeable Surfaces (Roads)
4	Rail Lines Hard Surface
5	Canals
6	Vegetated Surfaces of Roads, Trails and Railways
7	Mine Sites
8	Industrial Sites
9	Well Sites (Energy) ACTIVE
10	Landfill
11	Other Vegetated Facilities and Recreation
12	Wind Generation Facility
13	Transmission Lines
14	CFO and other High Density Livestock
15	Urban and Rural Residential
16	Well Sites (Energy) ABANDONED
17	Cultivation
18	Cut Blocks
19	Pipelines
20	Seismic Lines

6. Sublayers

01 RESERVOIRS

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
RESERVOIR	101	Reservoirs	Commercial and Industrial	1	A body of water created by excavation or the man-made damming of a river or stream.

Definition:

An artificial lake or storage pond resulting from human made dam.

A body of water created by excavation or the man-made damming of a river or stream.

Source:

'ABMI' – data updated by ABMI prior to (and including) HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – Grassland Vegetation Inventory (GVI)

Interpretation Elements and Rules:

SIZE:

Different sizes: ranging from the small ones created by damming small streams for a purpose of watering livestock to large water bodies of hydro dams.

SHAPE:

Dam structure (straight or hyperbolic wall) must be visible on reservoirs created on streams and rivers. Sides of the water body are given by topology of the terrain.

Storage pond reservoirs shape is given by engineers to fulfill specific needs. There is no front wall but all sides of storage pond are artificially created.

SHADOW: no shadow

COLOR: may depend on water depth, but usually in gradients of blue and brown

TEXTURE: fine

ASSOCIATED RELATIONSHIP or CONTEXT:

Dams must be in valleys of streams and rivers.

Storm water storage ponds are located nearby residential areas.

Irrigation storage ponds are located nearby agriculture along with irrigation structures – canals, pumps.

Feature type: **RESERVOIR**

Satellite snapshot: Reservoir



Satellite snapshot: Storm water reservoir



Satellite snapshot: Irrigation reservoir




Feature type: **RESERVOIR**

Terrestrial Photo: Storm water storage



(Hricko, n.d.)

Spatial Distribution [Number of features]:



02 BORROW PITS, SUMPS, DUGOUTS and LAGOONS (BPSDL)

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
LAGOON	201	Municipal (Water and Sewage)	Residential and Recreation	2	Artificial holding or treatment ponds for industrial, agricultural or municipal wastewater. Human made water and sewage lagoons used for municipal purposes.

Definition:

An artificial holding or treatment ponds for industrial, agricultural or municipal wastewater.

Human made water and sewage lagoons used for municipal purposes.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program

'AVIE' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

Interpretation Elements and Rules:

SIZE:

Smaller to medium sized water bodies.

SHAPE:

Usually rectangular or square shape structure, occasionally might be triangular or other shape – following terrain topography and engineering design. Structural walls are usually elevated above surrounding terrain.

SHADOW: Shadow might be visible as lagoons are usually elevated above surrounding terrain.

COLOR: may depend on water depth, but usually in gradients of blue and brown

TEXTURE: fine

ASSOCIATED RELATIONSHIP or CONTEXT:

Lagoons are municipal structures built as part of water treatment facilities, so they are usually located nearby residential areas and within industrial zones.

Many times there are more than two lagoons build by each other creating a cluster of water bodies.

Feature type: **LAGOON**

Satellite snapshot:



Satellite snapshot:



Feature type: **LAGOON**

Aerial Photo:



Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
SUMP	201	Borrow Pts/Dugouts/Sumps	Energy and Mining	2	Artificial holding or treatment ponds for industrial wastewater.

Definition:

An artificial holding or treatment pond for industrial wastewater.

Drilling waste storage system – holding of drilling waste on well sites or remotely.

Either earthen excavation (in clayey soils) or sumps lined with a synthetic liner.

Source:

The same as “LAGOON”

Interpretation Elements and Rules:

SIZE:

Smaller to medium size water bodies.

SHAPE:

Usually rectangular or square shape structure, occasionally might be triangular or other shape – following terrain topography and engineering design. Structural walls might be elevated above surrounding terrain for lined sump.

SHADOW: Shadow might be visible if sump walls are elevated above surrounding terrain.

COLOR: may depend on water depth, but usually in gradients of blue and brown

TEXTURE: fine

ASSOCIATED RELATIONSHIP or CONTEXT:

Sumps are industrial structures built as part of water treatment process, so they are usually located nearby industrial sites and well pads.

There is usually a single drilling waste storage structure build for a single well pad/industrial site.

Feature type: **SUMP**

Satellite snapshot:



Feature type: **SUMP**



Terrestrial Photo:



(Hricko, n.d.)

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
BORROWPITS	203	Borrow Pts/Dugouts/Sum ps	Energy and Mining	2	Includes pits dug to build forestry and well-site roads. They are usually associated with a road or another structure.
BORROWPIT- DRY	204	Borrow Pts/Dugouts/Sum ps	Energy and Mining	2	Includes pits dug to build forestry and well-site roads. They are usually associated with a road or another structure. No presence of water.
BORROWPIT- WET	205	Borrow Pts/Dugouts/Sum ps	Energy and Mining	2	Includes pits dug to build forestry and well-site roads. They are usually associated with a road or another structure. Presence of water confirmed by visual interpretation.
RIS- BORROWPITS	206	Borrow Pts/Dugouts/Sum ps	Energy and Mining	2	Identifies any area disturbed for the purpose of extraction of aggregate materials including gravel pits.

Definition:

Excavation outside of the road right-of-way, made solely for the purpose of removing or proving borrow material for the construction of the sub-base for a specific roadway project. It includes any other associated infrastructure such as access roads. (*ALBERTA TRANSPORTATION; GUIDE TO RECLAIMING BORROW EXCAVATIONS – 2013 Edition*).

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,
 'ABMI14' – data updated by ABMI during HFI_2014 update,
 'ABMI15' – data updated by ABMI during HFI_2015 update,
 'ABMI16' – data updated by ABMI during HFI_2016 update,
 'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,
 'AHFMP' – data updated by Alberta Human Footprint Mapping Program
 'AVIE' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Interpretation Elements and Rules:

SIZE:

Usually smaller excavation, quite often smaller than 1 ha.

SHAPE:

Rectangular or square shape structure, occasionally might be triangular or other shape – following terrain topography and engineering design.

SHADOW: no shadows

COLOR: Depends whether they are dry or filled with water. Brown/Grey/Blue

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:

Always located along roadways.

Feature type: **BORROWPITS**

Orthophoto snapshot:



Feature type: **BORROWPIT-DRY**

Terrestrial Photo:



Feature type: **BORROWPIT-WET**

Terrestrial Photo:



Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
DUGOUT	207	Borrow Pts/Dugouts/Sumps	Energy and Mining	2	Excavations typically associated with agriculture and rural residence, constructed to catch run off water for use by livestock.

Definition:

Small water storage excavations collecting water that occurs either as a runoff from summer rains or as a surplus of surface water that occurs during snowmelt in the spring. (*Alberta Agriculture and Rural Development, QUALITY FARM DUGOUTS*).

Source:

The same as “LAGOON”

Interpretation Elements and Rules:**SIZE:**

Usually smaller excavation quite often smaller than 1 ha.

SHAPE:

Rectangular, square or elliptical shape structure.

SHADOW: no shadows

COLOR: Depends whether they are dry or filled with water. Brown/Grey/Blue

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:

Usually located along pastures, farms and agriculture areas.

Feature type: **DUGOUT**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development , 2014)


Feature type: **DUGOUT**

Terrestrial Photo:



(Hricko, n.d.)

Spatial Distribution [Number of features]:



03 ROADS

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
AIRP-RUNWAY	301	Road – Hard Surface	Transportation	3	An active landing facility for aircraft, usually associated with paved and lighted runways, an operating control tower, and services for aircraft and passengers.
INTERCHANGE-RAMP	302	Road – Hard Surface	Transportation	3	A series of roadways (ramps) constructed to permit access to and from intersecting paved roads. These ramps are usually at different levels, and form an overpass / underpass.
RIS-AIRP-RUNWAY	303	Road – Hard Surface	Transportation	3	Identifies operator owned landing facility for airplanes and related transportation.
RIS-ROAD	304	Road – Hard Surface	Transportation	3	Identifies roads that are not specifically part of other disturbed features.
ROAD-GRAVEL-1L	305	Road – Hard Surface	Transportation	3	A roadway surfaced with gravel and constituted as a main access route. The road surface is about 6 metres in width, and the road clearing is about 20 metres or greater in width. The surface, ditches, bridges and intersections are in good condition.
ROAD-GRAVEL-2L	306	Road – Hard Surface	Transportation	3	A roadway surfaced with gravel and constituted as a main access route. The road surface is 7 metres or greater in width, and the road clearing is 30 metres or greater in width. The surface, ditches, bridges and intersections are in good condition.
ROAD-PAVED-1L	307	Road – Hard Surface	Transportation	3	A roadway, paved with asphalt or concrete, consisting of one (1) lane.
ROAD-PAVED-2L	308	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of two (2) roadbeds separated by a median. Each road bed usually consists of two (2) or more lanes.
ROAD-PAVED-3L	309	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of 3 roadbeds separated by a median.
ROAD-PAVED-4L	310	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of 4 roadbeds separated by a median.
ROAD-PAVED-5L	311	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of 5 roadbeds separated by a median.
ROAD-PAVED-6L	312	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of 6 roadbeds separated by a median.
ROAD-PAVED-7L	313	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of 7 roadbeds separated by a median.
ROAD-PAVED-DIV	314	Road – Hard Surface	Transportation	3	A major roadway, which is paved with asphalt or concrete, and consists of two (2) roadbeds separated by a median. Each road bed usually consists of two (2) or more lanes.

ROAD-PAVED-UNDIV-1L	315	Road – Hard Surface	Transportation	3	A roadway, paved with asphalt or concrete, consisting of one (1) lane, and usually found servicing rural acreages that are close to large urban centres.
ROAD-PAVED-UNDIV-2L	316	Road – Hard Surface	Transportation	3	A roadway, paved with asphalt or concrete, and consisting of two (2) adjacent lanes, with no median to separate them.
ROAD-PAVED-UNDIV-4L	317	Road – Hard Surface	Transportation	3	A roadway, paved with asphalt or concrete, and consisting of four (4) adjacent lanes, with no median to separate them.
ROAD-UNCLASSIFIED	318	Road – Hard Surface	Transportation	3	A temporary coding for an unknown class of road, which will be updated after a field check or verification. (Source: road_album_2.ppt)
ROAD-UNIMPROVED	319	Road – Hard Surface	Transportation	3	A roadway surfaced with dirt and constituted as a minor access route. The road surface is up to 7 metres in width, and the road clearing is up to 20 metres in width. The surface and ditches are poorly maintained, and the bridges are narrow.
ROAD-UNPAVED-1L	320	Road – Hard Surface	Transportation	3	A roadway surfaced with dirt and constituted as a minor access route.
ROAD-UNPAVED-2L	321	Road – Hard Surface	Transportation	3	A roadway surfaced with dirt and constituted as a minor access route.
ROAD-WINTER	325	Road – Soft Surface	Transportation	3	A clearing that is vehicular accessible in winter only.
ROAD-WINTER-ACCESS	322	Road – Soft Surface	Transportation	3	A clearing that is vehicular accessible in winter only.
TRAIL-ATV	323	Road – Hard Surface	Transportation	3	A trail primarily used for ATV activities.
TRUCK-TRAIL	324	Road – Hard Surface	Transportation	3	A roadway surfaced with dirt or low vegetation and constituted as a minor access route. The road clearing is 6 metres or greater in width. Streams are generally forded, and ditches are few.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP - Road Processing 2014 Footprint.pdf

AHFMP - Road User Guide 2014 Footprint.pdf

Feature type: **ROAD-PAVED-DIV**

Terrestrial Photo:



Feature type: **ROAD-PAVED-UNDIV-2L**

Terrestrial Photo:



Feature type: **ROAD-GRAVEL-1L**

Terrestrial Photo:



Feature type: **ROAD-GRAVEL-2L**

Terrestrial Photo:



Feature type: **TRUCK-TRAIL**

Terrestrial Photo:




Feature type: **ROAD-UNIMPROVED**

Terrestrial Photo:



Spatial Distribution [Number of features]:



04 RAILWAY LINES – HARD SURFACE

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
RLWY-ABANDONED	401	Rail – Hard Surface	Transportation	4	An abandoned road or track for trains, consisting of parallel steel rails, supported on wooden crossbeams that is no longer in use.
RLWY-DBL-TRACK	402	Rail – Hard Surface	Transportation	4	A road or track for trains, consisting of parallel steel rails, supported on wooden crossbeams. The Double track consists of two parallel sets of tracks.
RLWY-MLT-TRACK	403	Rail – Hard Surface	Transportation	4	A road or track for trains, consisting of parallel steel rails, supported on wooden crossbeams. A multiple track railway consists of many parallel sets of tracks.
RLWY-SGL-TRACK	404	Rail – Hard Surface	Transportation	4	A road or track for trains, consisting of parallel steel rails, supported on wooden crossbeams. The single track consists of one parallel sets of tracks.
RLWY-SPUR	405	Rail – Hard Surface	Transportation	4	A short length of railway leading off a main line, to a dead end. Spur lines usually lead to a commercial/industrial site, or may be used as a turnaround along a rail line.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

Feature type: RLWY-SGL-TRACK

Terrestrial Photo:



Spatial Distribution [Number of features]:



05 CANALS

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CANAL	501	Canals	Agriculture	5	A man-made watercourse built to convey water for irrigation.

Definition:

This is a man-made watercourse built to convey water for irrigation. An irrigation canal is larger than a ditch, with reinforced banks that are usually well maintained.

Source:

'ABMI' 'ABMI14' 'ABMI15' 'ABMI16' 'BASEFE' 'GVI' 'GVled' 'NA'

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'GVled' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta updated by ABMI

Interpretation Elements and Rules:

SIZE:

Linear feature usually 20 meters to 40 meters in width with reinforced banks that are usually well maintained.

SHAPE:

Linear.

SHADOW: no shadows

COLOR: Depends whether they are dry or filled with water. Brown/Grey/Blue

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:


Usually located along irrigated cultivation fields.

Feature type: **CANAL**

Satellite snapshot:



Spatial Distribution [Number of features]:



06 VEGETATED SURFACES of ROADS, TRAILS and RAILWAYS

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
VEGETATED- EDGE-ROADS	601	Road – Vegetated Verge	Transportation	6	Disturbed vegetation alongside road edges
VEGETATED- EDGE- RAILWAYS	602	Rail – Vegetated Verge	Transportation	6	Disturbed vegetation alongside railway edges.

Definition:

Disturbed vegetation alongside road edges and railway edges including ditches.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,
 'ABMI14' – data updated by ABMI during HFI_2014 update,
 'ABMI15' – data updated by ABMI during HFI_2015 update,
 'ABMI16' – data updated by ABMI during HFI_2016 update,
 'AHFMP' – data updated by Alberta Human Footprint Mapping Program

Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP - Road Processing 2014 Footprint.pdf

AHFMP - Road User Guide 2014 Footprint.pdf

Interpretation Elements and Rules:

SIZE:

Linear feature - various width.

SHAPE:

Linear.

SHADOW: no shadows

COLOR: shades of green,

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:

Usually located along roads and railways.


Feature type: VEGETATED-EDGE-ROADS

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Spatial Distribution [Number of features]:



07 MINE SITES

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
GRVL-SAND-PIT	701	Mine Site	Energy and Mining	7	An area of surface disturbance for the purpose of extracting sand and/or gravel consistently open and/or expanding over multiple years, usually close to lakes or rivers.
MINES-COAL	702	Mine Site	Energy and Mining	7	Heavy industry use with bare and/or vegetated ground and low human density for the purpose of coal mining.
MINES-OILSANDS	703	Mine Site	Energy and Mining	7	Heavy industry use with bare and/or vegetated ground and low human density for the purpose of oil sands mining.
MINES-PITLAKE	704	Mine Site	Energy and Mining	7	Areas of ground that were surface water is collected into the existing mine pit usually after mining activity is finished.
OPEN-PIT-MINE	705	Mine Site	Energy and Mining	7	An area of surface disturbance for the purpose of mining (with the exception of sand and/or gravel), consistently open and/or expanding over multiple years, usually close to lakes or rivers.
PEAT	706	Mine Site	Energy and Mining	7	An area of surface disturbance for the purpose of mining peat, consistently open and/or expanding over multiple years, usually in bogs or fens.
RIS-DRAINAGE	707	Mine Site	Energy and Mining	7	Identifies surface disturbance for the purpose of managing surface water features.
RIS-MINES-OILSANDS	708	Mine Site	Energy and Mining	7	Identifies areas where overburden removal has commenced for the purposes of preparing an area for open pit mining and all mine pit features.
RIS-OILSANDS-RMS	709	Mine Site	Energy and Mining	7	Identifies reclamation material stockpiles (RMS). Each RMS may have several material types and corresponding volumes.
RIS-OVERBURDEN-DUMP	710	Mine Site	Energy and Mining	7	Includes all areas where overburden and interburden is placed out-of-pit or in-pit for disposal.
RIS-RECLAIM-READY	711	Mine Site	Energy and Mining	7	Identifies areas where landform construction has been completed and the site is ready for clean cap, subsoil and surface soil placement. This definition is consistent with that used for annual reporting which identifies land "no longer required for mine or plant purposes and available for reclamation but where reclamation activities have not yet commenced.
RIS-RECLAIMED-CERTIFIED	712	Mine Site	Energy and Mining	7	Identifies polygons of reclaimed areas which have received a reclamation certificate.
RIS-RECLAIMED-PERMANENT	713	Mine Site	Energy and Mining	7	Identifies polygons which meet the definition of permanent reclamation - land is considered permanently reclaimed when landform construction and contouring, clean material placement (as required), reclamation material placement and revegetation has taken place.

RIS-RECLAIMED-TEMP	714	Mine Site	Energy and Mining	7	Identifies polygons which meet the definition of temporary reclamation – areas being managed where vegetation has been seeded, planted, or ingressed, where there is an expectation that future disturbance may occur at that location. This does not include cleared areas (planned for future disturbance) that have naturally revegetated through ingress.
RIS-SOIL-REPLACED	715	Mine Site	Energy and Mining	7	Identifies areas which have had subsoil or topsoil placed and which have not been revegetated.
RIS-SOIL-SALVAGED	716	Mine Site	Energy and Mining	7	Identifies areas where soil salvage is occurring but where overburden removal has not commenced.
RIS-TAILING-POND	717	Mine Site	Energy and Mining	7	Identifies all areas associated with tailings including toe berms, dykes, beaches, ponds and drying areas.
RIS-WASTE	718	Mine Site	Energy and Mining	7	Identifies all areas associated with waste and by-product storage on-site.
RIS-WINDROW	719	Mine Site	Energy and Mining	7	Includes areas where a line of reclamation material (soil or vegetation) is heaped up by a machine.
TAILING-PILE	720	Mine Site	Energy and Mining	7	An area used to store waste materials produced in mining processes.
TAILING-POND	721	Mine Site	Energy and Mining	7	Body of water on/in close proximity to an oil sands mine comprised of acids, benzene, hydrocarbons, residual bitumen, fine silts, and water.

Note: “RIS” features were imported from Reclamation Information System (GoA) based on Cross-reference table (Table 2.)

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta,

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Feature type: **GRVL-SAND-PIT**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **PEAT**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **MINES-COAL**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development , 2014)

Feature type: **MINES-COAL**

Terrestrial Photo:



Feature type: **MINES-COAL**

Terrestrial Photo:



Feature type: **GRVL-SAND-PIT**

Terrestrial Photo:




Table 2. Reclamation Information System (GoA) Cross-reference table

RIS		ABMI HFI 2014	
LANDCOVER	FEATURE_TY	FEATURE_TY	Sublayer
CLEARED	Cleared other industry	RIS-CLEARING-UNKNOWN	08 Industrials
	<null>	RIS-CLEARING-UNKNOWN	08 Industrials
	Oil sands cleared	RIS-CLEARING-UNKNOWN	08 Industrials
DISTURBED	Aerodrome	AIRP-RUNWAY-ACTIVE	03 Roads
	Borrow pit	RIS-BORROWPITS	02 Borrow Pits, Sumps, Dugouts, Lagoons
	Camp housing	RIS-CAMP-INDUSTRIAL	08 Industrials
	Disturbed other industry	RIS-FACILITY-UNKNOWN	08 Industrials
	Disturbed unclassified	RIS-FACILITY-UNKNOWN	08 Industrials
	Drainage	RIS-DRAINAGE	07 Mines
	<null>	RIS-FACILITY-UNKNOWN	08 Industrials
	Mine pit	RIS-MINES-OILSANDS	07 Mines
	Operations	RIS-FACILITY-OPERATIONS	08 Industrials
	Other	RIS-FACILITY-UNKNOWN	08 Industrials
	Overburden dump	RIS-OVERBURDEN-DUMP	07 Mines
	Pipeline	RIS-PIPELINE	19 Pipelines
	Plant site	RIS-PLANT	08 Industrials
	Powerline	RIS-TRANSMISSION-LINE	13 Transmission Lines
	Ready to reclaim	RIS-RECLAIM-READY	07 Mines
	Reclamation material stockpile (RMS)	RIS-OILSANDS-RMS	07 Mines
	River water intake structure	RIS-RESERVOIR	01 Reservoir
	Road	RIS-ROAD	03 Roads
	Soil placed	RIS-SOIL-REPLACED	07 Mines
	Soil salvaged	RIS-SOIL-SALVAGED	07 Mines
	Tailings	RIS-TAILING-POND	07 Mines
	Tank farm	RIS-TANK-FARM	08 Industrials
	Utilities	RIS-UTILITIES	08 Industrials
	Waste	RIS-WASTE	07 Mines
	Wellsite	RIS-WELL	09 Well Sites Active
	Windrow	RIS-WINDROW	07 Mines

RECLAIMED	Certified	RIS-RECLAIMED-CERTIFIED	07 Mines
	<null>	RIS-RECLAIMED-UNKNOWN	07 Mines
	Permanent	RIS-RECLAIMED-PERMANENT	07 Mines
	Temporary	RIS-RECLAIMED-TEMP	07 Mines
	Temporary (dam safety)	RIS-RECLAIMED-TEMP	07 Mines

Spatial Distribution [Number of features]:



08 INDUSTRIAL SITES

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CAMP-INDUSTRIAL	801	Industrial Site Rural	Commercial and Industrial	8	Building used for temporary residence by employees on or in close proximity to an industrial activity such as mining, forestry, or oil and gas activities.
CLEARING-UNKNOWN	802	Industrial Site Rural	Commercial and Industrial	8	A human-made clearing with unknown purposes and contains no visible buildings, fences or equipment.
CLEARING-WELLPAD-UNCONFIRMED	803	Industrial Site Rural	Commercial and Industrial	8	Roughly square in shape clearing, roughly 90-120 meters wide (approximately 1 ha). Not confirmed as a well pad by available reference sources.
FACILITY-OTHER	804	Industrial Site Rural	Commercial and Industrial	8	Industrial facility characterized by large non-residential buildings most often surrounded by concrete for parking purposes. The purpose of the facility is not disclosed.
FACILITY-UNKNOWN	805	Industrial Site Rural	Commercial and Industrial	8	Industrial facility characterized by large non-residential buildings most often surrounded by concrete for parking purposes. The purpose of the facility is unknown.
MILL	806	Industrial Site Rural	Commercial and Industrial	8	Intense industrial & commercial development for the purpose of pulp or paper production.
MISC-OIL-GAS-FACILITY	807	Industrial Site Rural	Commercial and Industrial	8	Industrial facility used for the purpose of oil and gas.
OIL-GAS-PLANT	808	Industrial Site Rural	Commercial and Industrial	8	Industrial facility used for oil production.
RIS-CAMP-INDUSTRIAL	809	Industrial Site Rural	Commercial and Industrial	8	Identifies area disturbed for the purposes of housing camp workers.
RIS-CLEARING-UNKNOWN	810	Industrial Site Rural	Commercial and Industrial	8	Identifies all areas where vegetation has been removed for the purposes of preparing the land for drainage, soil removal, overburden removal, mining, etc. but where soil has been left mostly intact and relatively undisturbed. May include any or all of: tree removal, shrub removal, and/or grubbing (stump removal). Identifies areas cleared for by other industry and not for the purposes of forest harvesting or for oil sands development.
RIS-FACILITY-OPERATIONS	811	Industrial Site Rural	Commercial and Industrial	8	Designated for areas which are not part of the plant site, e.g., may include laydown areas not integrated with the main plant site(s), tailings lines, water lines, compressor station, buildings away from the main plant site, flare stack, communications tower.
RIS-FACILITY-UNKNOWN	812	Industrial Site Rural	Commercial and Industrial	8	Identifies areas where the reclamation liability associated for the disturbance is currently held by another industry operator.
RIS-PLANT	813	Industrial Site Rural	Commercial and Industrial	8	Includes areas associated with extraction, processing, upgrader. Plant sites may be multiple non-contiguous polygons.

RIS-TANK-FARM	814	Industrial Site Rural	Commercial and Industrial	8	Identifies areas where products of extraction or upgrading are stored. Product stored for on-site use can be identified under plant site or operations.
RIS-UTILITIES	815	Industrial Site Rural	Commercial and Industrial	8	Identifies areas specifically disturbed for the purposes of utilities (power generation).
URBAN-INDUSTRIAL	816	Industrial Site Rural	Commercial and Industrial	8	An industrial facility within the boundary of an urban residence.

Note: "RIS" features were imported from Reclamation Information System (GoA) based on Cross-reference table (Table 2.)

Source:

'ABMI' – data updated by ABMI prior to HFI_2010 update,

'ABMI10' – data updated by ABMI during 2010 update,

'ABMI12' – data updated by ABMI during 2012 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program

'AVIE' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Feature type: **CAMP-INDUSTRIAL**

Satellite snapshot:



Feature type: **MILL**

Satellite snapshot:



Feature type: **OIL-GAS-PLANT**

Satellite snapshot:




Feature type: **MISC-OIL-GAS-FACILITY**

Satellite snapshot:



Feature type: **URBAN-INDUSTRIAL**

Satellite snapshot:



Feature type: **URBAN-INDUSTRIAL**

Aerial Photo:



Feature type: **MISC-OIL-GAS-FACILITY**

Terrestrial Photo:



Feature type: **URBAN-INDUSTRIAL**

Terrestrial Photo:



Feature type: **URBAN-INDUSTRIAL**

Terrestrial Photo:




Feature type: **URBAN-INDUSTRIAL**

Terrestrial Photo:



Spatial Distribution [Number of features]:



09 WELL SITES ACTIVE

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
RIS-WELL	901	Well Site	Energy and Mining	9	Identifies areas disturbed for the purpose of establishing exploration, production or disposal wells.
WELL-BIT	902	Well Site	Energy and Mining	9	Well site - ground cleared for a bitumen well pad.
WELL-CASED	903	Well Site	Energy and Mining	9	Well site - ground cleared and well cased.
WELL-CLEARED- DRILLED	904	Well Site	Energy and Mining	9	Well site - confirmation of drilling and the boundary outline are provided by reference sources.
WELL-CLEARED- NOT-DRILLED	905	Well Site	Energy and Mining	9	Well site - confirmation of the boundary outline are provided by reference sources.
WELL-DRILLED- OTHER	906	Well Site	Energy and Mining	9	Well site - confirmation of drilling are provided by reference sources.
WELL-GAS	907	Well Site	Energy and Mining	9	Well site - ground cleared for a gas well pad.
WELL-OIL	908	Well Site	Energy and Mining	9	Well site - ground cleared for an oil well pad.
WELL-OTHER	909	Well Site	Energy and Mining	9	Well site - clearing, purpose is unknown.

Note: "RIS" features were imported from Reclamation Information System (GoA) based on Cross-reference table (Table 2.)

Source:

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,


'ABMI16' – data updated by ABMI during HFI_2016 update,

'AHF14'– data updated by Alberta Human Footprint Mapping Program for HFI 2014 update,

'AHFMP'– data updated by Alberta Human Footprint Mapping Program for HFI 2016 update,

'RIS14' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks for HFI 2014 update

Spatial Distribution [Number of features]:



Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP - Well Pad Procedures for 2014 Footprint.pdf

AHFMP - Well Pad User Guide 2014 Footprint.pdf

10 LANDFILL

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
LANDFILL	1001	Industrial Site Rural	Commercial and Industrial	10	Large area of raised land, indicating buried garbage. Some landfills have evidence of surface revegetation and garbage dispersed throughout designated extent. They may also have large perimeter berms or fences.
TRANSFER_STATION	1002	Industrial Site Rural	Commercial and Industrial	10	Small area of land, less than one hectare, usually fenced with a U-shaped road and two entry ways. One small rectangular building. Used primarily for garbage drop-off and located close to municipalities or present in rural areas.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

Interpretation Elements and Rules:

SIZE:

Various sizes, often larger polygons of landfills than transfer stations.

SHAPE:

Often rectangular or square shape structure.

SHADOW: no shadows

COLOR: various colours

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:

Usually located in proximity of residential areas.

Feature type: **TRANSFER_STATION**

Orthophoto snapshot:




Feature type: **LANDFILL**

Orthophoto snapshot:



Spatial Distribution [Number of features]:



11 OTHER VEGETATED FACILITIES and RECREATION

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CAMPGROUND	1101	Other Disturbed Vegetation	Residential and Recreation	11	Disturbed vegetation with frequently changing facilities of RVs and tents used for overnight stay. Most often comprised of several individual clearings surrounded by vegetation and gravel or concrete roads connecting clearings.
GOLFCOURSE	1102	Other Disturbed Vegetation	Residential and Recreation	11	Large recreational area comprised of a series of grass patches surrounded by trees.
GREENSPACE	1103	Other Disturbed Vegetation	Residential and Recreation	11	Greenspace used for recreation within a residential area including school, school yards and sport fields.
RECREATION	1104	Other Disturbed Vegetation	Residential and Recreation	11	Urban/rural greenspace and recreation that does not fit into other categories (e.g. grave yards, baseball diamonds, parks, shelterbelts, ski hills, clearings from old industrial activity that is now vegetated). This layer was also used to identify green-space features that do not fit into other categories such as storage areas and parking lots.
RUNWAY	1105	Other Disturbed Vegetation	Residential and Recreation	11	Vegetated runway.
SURROUNDING-VEG	1106	Other Disturbed Vegetation	Residential and Recreation	11	Disturbed vegetation surrounding an airport runway and other industrial features.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI07' – data updated by ABMI during 2007 update,

'ABMI10' – data updated by ABMI during 2010 update,

'ABMI12' – data updated by ABMI during 2012 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AVIE' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Interpretation Elements and Rules:

SIZE:

Various sizes, often larger polygons of landfills than transfer stations.

SHAPE:

Often rectangular or square shape structure.

SHADOW: no shadows

COLOR: various colours

TEXTURE: fine / coarser

ASSOCIATED RELATIONSHIP or CONTEXT:

Usually located in proximity of residential areas.

Feature type: **GREENSPACE**

Orthophoto snapshot:




Feature type: **GOLFCOURSE**

Orthophoto snapshot:



Feature type: **RUNWAY**

Satellite snapshot:



Feature type: **RUNWAY**

Terrestrial Photo:



Feature type: **GREENSPACE**

Aerial Photo:



Feature type: **GOLFCOURSE**

Aerial Photo:




Feature type: **GREENSPACE**

Terrestrial Photo:



Spatial Distribution [Number of features]:



12 WIND GENERATION FACILITY

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
WINDMILLS	1201	Wind Generation Facility	Energy and Mining	12	Wind turbines, operational or former, visible on imagery. Digitized to represent original land disturbance from construction.

Source:

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

Interpretation Elements and Rules:

SIZE: Various sizes.

SHAPE: Often rectangular or square shape structure for land cover disturbance. Turbine structure visible for finished facilities.

SHADOW: tower and turbine shadows

COLOR: steel colours

TEXTURE: individual structure of turbine visible

ASSOCIATED RELATIONSHIP or CONTEXT:

Usually clustered into “wind energy farms.”

Feature type: **WINDMILLS**

Satellite snapshot:




(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **WINDMILLS**

Terrestrial Photo:



Spatial Distribution [Number of features]:



13 TRANSMISSION LINES

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
TRANSMISSION-LINE	1301	Transmission Line	Energy and Mining	13	A utility corridor >10 m wide with poles, towers and lines for transmitting high voltage electricity (voltage greater than 69 kV).
RIS-TRANSMISSION-LINE	1302	Transmission Line	Energy and Mining	13	Include the right of way area designated for the powerline.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program,

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta,

Alberta Environment and Parks

Interpretation Elements and Rules:

SHAPE: Linear shape – corridor in landscape. Tower structure visible.

WIDTH:

Buffered to 19 m - each side from the centerline (38 m in total width of the corridor) for AHFMP and BASEFE features.

Buffered to measured width for ABMI14 features.

SHADOW: tower shadows

COLOR: shades of green or brown/grey depending on vegetation cover of the corridor

TEXTURE: usually finer texture as a result even vegetation on the corridor

ASSOCIATED RELATIONSHIP or CONTEXT:

Corridor connects energy users with energy providers.

Feature type: **TRANSMISSION-LINE**

Orthophoto snapshot:



Feature type: **TRANSMISSION-LINE**

Aerial Photo:



Feature type: **TRANSMISSION-LINE**

Aerial Photo:



Feature type: **TRANSMISSION-LINE**

Terrestrial Photo:




Feature type: **TRANSMISSION-LINE**

Terrestrial Photo:



Spatial Distribution [Number of features]:



14 CFO and HIGH DENSITY LIVESTOCK

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CFO	1401	High Density Livestock Operation	Commercial and Industrial	14	Confined feeding operations (CFO), interpreted as the presence of large buildings and fenced pens appearing to be used for the purpose of feeding and confining pigs, chickens, or cows.

Source:

'ABMI' – data updated by ABMI prior to HFI_2010 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

'SRDSPT' – Special Areas data obtained from the Government of Alberta, Alberta Environment and Parks

Interpretation Elements and Rules:

SIZE: Various sizes.

SHAPE: Often regular shape.

SHADOW: shadows of building and facilities associated with CFO

COLOR: various colours

TEXTURE: usually coarser texture

ASSOCIATED RELATIONSHIP or CONTEXT:


Usually in proximity of farm fields, residential or industrial features.

Feature type: **CFO**

Orthophoto snapshot:



Spatial Distribution [Number of features]:



15 URBAN and RURAL RESIDENTIAL

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
COUNTRY-RESIDENCE	1501	Rural (Residential/ Industrial)	Residential and Recreation	15	Rural developments (10 - 100 buildings per quarter section).

Definition:

Country-residential developments with density of 10 - 100 buildings per quarter section.

Source:

'ABMI' – data updated by ABMI prior to HFI_2010 update,

'ABMI07' – data updated by ABMI during 2007 update,

'ABMI10' – data updated by ABMI during 2010 update,

'BUFF10' – data updated by ABMI during 2010 update by buffering from centroid points,

'ABMI12' – data updated by ABMI during 2012 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AVIE' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

Interpretation Elements and Rules:

SIZE:

Minimum size of the polygon should be 0.4 Ha (1 Acre) in case one country-residential property creates an acreage polygon. More often – multiple country-residential developments are captured into one polygon therefore maximum size of polygon is not limited.

SHAPE:

Multi-vertices polygons, where boundaries follow property lines, fences, clearings of country-residential development.

SHADOW: no shadow

COLOR: no unique color

TEXTURE: no unique texture

ASSOCIATED RELATIONSHIP or CONTEXT:

Country residential areas are often grouped together with road system as a backbone of such residential development.

Feature type: **COUNTRY-RESIDENCE**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development , 2014)

Feature type: **COUNTRY-RESIDENCE**

Terrestrial Photo:



FEATURE_TY	Code	Public Code	Category	Order	Feature Description
RURAL-RESIDENCE	1502	Rural (Residential/ Industrial)	Residential and Recreation	15	Rural developments (less than 10 buildings per quarter section).

Definition:

Rural-residential developments with density of less than 10 buildings per quarter section.

Source:

The same as for COUNTRY-RESIDENCE

Interpretation Elements and Rules:**SIZE:**

Various sizes. Usually one polygon per one rural residence.

SHAPE:

Multi-vertices polygons, where boundaries follow property lines, fences, clearings of rural-residential development.

SHADOW: no shadow

COLOR: no unique color

TEXTURE: no unique texture

ASSOCIATED RELATIONSHIP or CONTEXT:

Rural residences are often isolated by other human footprint types (cultivation) or native landscape (lodges). They are connected to the other areas by access road.

Feature type: **RURAL RESIDENCE**

Satellite snapshot:



Feature type: **RURAL RESIDENCE**

Aerial Photo:



Feature type: URBAN-RESIDENCE

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
URBAN-RESIDENCE	1503	Rural (Residential/Industrial)	Residential and Recreation	15	Urban residence (>100 buildings per quarter section).

Definition:

Residential areas in cities, towns, villages, hamlets and ribbon developments. Areas that are dominated by dwellings.

Source:

The same as for COUNTRY-RESIDENCE

Interpretation Elements and Rules:**SIZE:**

Various sizes. Usually one polygon per many urban residences.

SHAPE:

Multi-vertices polygons, where boundaries follow property lines, fences, clearings of urban - residential development.

SHADOW: no shadow

COLOR: no unique color

TEXTURE: no unique texture

ASSOCIATED RELATIONSHIP or CONTEXT:

Urban residences are often surrounded by other human footprint types (recreational – GREENSPACE, industrial – URBAN-INDUSTRIAL).

Feature type: **URBAN-RESIDENCE**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development , 2014)

Feature type: **URBAN-RESIDENCE**

Aerial Photo:



Feature type: **URBAN-RESIDENCE**

Aerial Photo:



Feature type: RESIDENCE_CLEARING

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
RESIDENCE_CLEARING	1504	Rural (Residential/ Industrial)	Residential and Recreation	15	Areas cleared for building developments that do not yet have any buildings.

Definition:

Areas cleared for building developments that do not yet have any buildings.

Source:

The same as for COUNTRY-RESIDENCE

Interpretation Elements and Rules:**SIZE:**

Various sizes. Usually one polygon per one residence clearing.

SHAPE:

Multi-vertices polygons, where boundaries follow property lines, fences, clearings of residential development.

SHADOW: no shadow

COLOR: no unique color

TEXTURE: no unique texture

ASSOCIATED RELATIONSHIP or CONTEXT:

Residence clearings are often in vicinity of existing urban residences.

Feature type: **RESIDENCE_CLEARING**

Satellite snapshot:




Feature type: **RESIDENCE_CLEARING**

Terrestrial Photo:



Spatial Distribution [Number of features]:



16 WELL SITES ABANDONED

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
WELL-ABAND	1601	Well Site	Energy and Mining	16	Ground cleared for an oil/gas well pad where the well is currently abandoned.

Source:

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'AHF14' – data updated by Alberta Human Footprint Mapping Program for HFI 2014 update


'AHFMP' – data updated by Alberta Human Footprint Mapping Program for HFI 2016 update

Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP - Well Pad Procedures for 2014 Footprint.pdf

AHFMP - Well Pad User Guide 2014 Footprint.pdf

Spatial Distribution [Number of features]:



17 CULTIVATION

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CROP	1701	Cultivation (Crop/Pasture/ Bare Ground)	Agriculture	17	Agricultural areas used for cultivation.

Definition:

Cultivated cropland or cropland planted with annual crop species, including farmlands that are in cultivation rotation.

Cropland includes: **small grains** (wheat, barley, oats and mixed grains), **oilseeds** (canola, flax), **specialty crops** (peas, lentils), **row crops** (potatoes, sugar beets, corn, vegetables).

Fallow describes areas used for the production of the crops that do not exhibit visible vegetation as the result of being cultivated.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI07' – data updated by ABMI during 2007 update,

'ABMI10' – data updated by ABMI during 2010 update,

'ABMI12' – data updated by ABMI during 2012 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program,

'GVI' – data derived from the Grassland Vegetation Inventory obtained from the Government of Alberta

'PLVI' – data derived from the Primary Land and Vegetation Inventory obtained from the Government of Alberta

'SPAREA' – Special Areas data obtained from the Government of Alberta, Alberta Environment and Parks

Interpretation Elements and Rules:

SIZE: Variable size from smaller fields, usually next to a rural residential area, up to very large polygons covering multiple townships.

SHAPE: Often rectangular, square or multi-vertex shape with distinct round corners as a result of active cultivation by agricultural equipment and machinery.

Circular shape for irrigated crop fields.

SHADOW: no shadows

COLOR: Variable - depending on type of the cropland and imagery acquisition date.

TEXTURE: Consistent smooth, fine texture for cropland / coarser texture for fallow.

STRUCTURE: Often visible tillage lines as a result of active cultivation by agricultural equipment (field cultivator, disk and plow).

ASSOCIATED RELATIONSHIP or CONTEXT: No evidence of grazing as livestock are restricted from these fields during the growing season.

Feature type: **CROP**

Satellite snapshot:



Orthophoto snapshot:



Feature type: **CROP** (irrigated by central pivot irrigation system)

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **CROP** (irrigated by central pivot irrigation system)


Orthophoto snapshot:



(Valtus Imagery Services, n.d.)

Feature type: **CROP**

Aerial Photo:



Feature type: **CROP**

Aerial Photo:



Feature type: **CROP**

Terrestrial Photo:



Feature type: **CROP**

Terrestrial Photo:



(Williams, n.d.)

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
TAME_PASTURE	1702	Cultivation (Crop/Pasture/ Bare Ground)	Agriculture	17	Farmlands planted with cultivated grasses or legumes.

Definition:

Lands where the soil has been disturbed and planted to perennial grass species used primarily for grazing livestock.

Tame pasture represents areas of grasses, legumes or grass-legume mixtures planted for livestock grazing or hay collection.

Source:

The same as CROP.

Interpretation Elements and Rules:

SIZE: Variable size from smaller fields, usually next to a rural residential area, up to very large polygons covering multiple townships.

SHAPE: Often rectangular, square or multi-vertex shape with distinct round corners as a result of active cultivation by agricultural equipment and machinery.

Circular shape for irrigated hay fields.

SHADOW: no shadows

COLOR: Variable - depending on the type of the pasture (grazing/hay) and imagery acquisition date.

TEXTURE: Coarser texture comparing to the crop.

STRUCTURE: Often visible hay collection lines or hay bales.

ASSOCIATED RELATIONSHIP or CONTEXT: Evidence of grazing by livestock – trails, dugouts.

Feature type: **TAME_PASTURE**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **TAME_PASTURE**

Terrestrial Photo:



Feature type: **TAME_PASTURE**

Terrestrial Photo:



Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
ROUGH_PASTURE	1703	Cultivation (Crop/Pasture /Bare Ground)	Agriculture	17	Cleared land for purpose of livestock grazing.

Definition:

Lands where the forest and/or shrubs have been removed so that native or introduced grasses can flourish for the grazing of livestock.

This pastureland has not been irrigated or fertilized and the soil has not been disturbed to improve productivity.

Source:

The same as CROP.

Interpretation Elements and Rules:

SIZE: Variable.

SHAPE: Variable

SHADOW: no shadows

COLOR: Usually shades of green - depending on imagery acquisition date.

TEXTURE: Coarser texture for new clearings, smoother for old ones.

STRUCTURE: There might be remains of cleared wood/shrub lands on new clearings— wood piles, timber.

ASSOCIATED RELATIONSHIP or CONTEXT: Usually still surrounded by forest or wooded/shrubby remains. Quite often nearby existing farmland and crop/tame pasture fields.

Rough pasture is present in these natural regions of Alberta (Parkland, Foothills, Boreal Forest).

Feature type: **ROUGH_PASTURE**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)

Feature type: **ROUGH_PASTURE**

Terrestrial Photo:



Feature type: **ROUGH_PASTURE**

Terrestrial Photo:



Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
CULTIVATION _ABANDONED	1704	Cultivation (Crop/Pasture /Bare Ground)	Agriculture	17	Agricultural land that has been formally seeded and tilled, but no evidence of present day production use. Landscape appears to have a heterogeneous mix of vegetation and closely resembles natural cover.

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
FRUIT- VEGETABLES	1705	Cultivation (Crop/Pasture /Bare Ground)	Agriculture	17	AAFC 2014 Crop Types: Vegetables, Tomatoes, Potatoes, Sugar beets, Other Vegetables, Fruits, Berries, Blueberry, Cranberry, Other Berry, Orchards, Other Fruits, Herbs.

HFI_2014 dataset cultivation Feature Types were based on AAFC 2014 classification (*ISO 19131 AAFC Annual Crop Inventory, Agriculture and Agri-food Canada, 2014*). AAFC 2014 classification crop types were overlaid onto HFI_2014 polygons and area coverage of individual AAFC crop type within HFI polygon was computed. Cross-referencing all cultivation polygons to Crop Type values based on AAFC 2014 classification is displayed in Table 3.

Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP_Cultivation_User_Guide_Footprint_HFI_2014FTv2.pdf

AHFMP_Cultivation_User_Guide_HFI_2014.pdf

Details about AAFC 2014 processes are available in document:

ISO 19131_AAFC_Annual_Crop_Inventory_Data_Product_Specifications.pdf

New cultivation features created by heads-up digitization ([SOURCE] either 'ABMI15' or 'ABMI16') were attributed based on visual interpretation of circa 2016 - SPOT6 satellite natural color composite mosaic. Current HFI_2016 dataset has not included a reattribution of existing HFI_2014 cultivation Feature Types to status of circa 2016.

Spatial Distribution [Number of features]:




Table 3. "AAFC2014=>ABMI_HFI2014" cross reference table.

AAFC		ABMI [proposed]
Code	Label	Feature_Ty
10	Cloud	NA
20	Water	HYDRO
30	Exposed Land and Barren	NATIVE-NATURAL
34	Urban and Developed	Residential-Industrial
35	Greenhouses	NA
50	Shrubland	NATIVE-NATURAL
80	Wetland	WETLAND
110	Grassland	NATIVE-NATURAL
120	Agriculture	CROP
122	Pasture and Forages	TAME-PASTURE
130	Too Wet to be Seeded	CROP-WETLAND
131	Fallow	CROP
132	Cereals	CROP
133	Barley	CROP
134	Other Grains	CROP
135	Millet	CROP
136	Oats	CROP
137	Rye	CROP
138	Spelt	CROP
139	Triticale	CROP
140	Wheat	CROP
141	Switchgrass	TAME-PASTURE
145	Winter Wheat	CROP
146	Spring Wheat	CROP
147	Corn	CROP
148	Tobacco	CROP
149	Ginseng	AGRICULTURE-OTHER
150	Oilseeds	CROP
151	Borage	CROP
152	Camelina	CROP
153	Canola and Rapeseed	CROP
154	Flaxseed	CROP
155	Mustard	CROP
156	Safflower	CROP
157	Sunflower	CROP
158	Soybeans	CROP
160	Pulses	CROP

AAFC		ABMI [proposed]
Code	Label	Feature_Ty
162	Peas	CROP
167	Beans	CROP
174	Lentils	CROP
175	Vegetables	FRUIT-VEGETABLES
176	Tomatoes	FRUIT-VEGETABLES
177	Potatoes	FRUIT-VEGETABLES
178	Sugarbeets	FRUIT-VEGETABLES
179	Other Vegetables	FRUIT-VEGETABLES
180	Fruits	FRUIT-VEGETABLES
181	Berries	FRUIT-VEGETABLES
182	Blueberry	FRUIT-VEGETABLES
183	Cranberry	FRUIT-VEGETABLES
185	Other Berry	FRUIT-VEGETABLES
188	Orchards	FRUIT-VEGETABLES
189	Other Fruits	FRUIT-VEGETABLES
190	Vineyards	AGRICULTURE-OTHER
191	Hops	AGRICULTURE-OTHER
192	Sod	AGRICULTURE-OTHER
193	Herbs	FRUIT-VEGETABLES
194	Nursery	AGRICULTURE-OTHER
195	Buckwheat	CROP
196	Canaryseed	CROP
197	Hemp	CROP
198	Vetch	TAME-PASTURE
199	Other Crops	AGRICULTURE-OTHER
200	Forest	NATIVE-NATURAL
210	Coniferous	NATIVE-NATURAL
220	Broadleaf	NATIVE-NATURAL
230	Mixedwood	NATIVE-NATURAL

18 FOREST HARVEST AREAS

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
HARVEST-AREA	1801	Cut Blocks	Forestry	18	Areas where forestry operations have occurred (clearcut, selective harvest, salvage logging, etc.)

Definition:

Areas where forestry operations have occurred (clearcut, selective harvest, salvage logging, etc.)

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,
 'ABMI14' – data updated by ABMI during HFI_2014 update,
 'ABMI15' – data updated by ABMI during HFI_2015 update,
 'ABMI16' – data updated by ABMI during HFI_2016 update,
 'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,
 'AVI' – data derived from the Alberta Vegetation Inventory obtained from the Government of Alberta

Interpretation Elements and Rules:

SIZE: Variable.

SHAPE: Variable

SHADOW: no shadows

COLOR: Usually shades of green - depending on imagery acquisition date.

TEXTURE: Coarser texture for new clearings, smoother for old ones.

STRUCTURE: There might be remains of cleared wood/shrub lands on new clearings– wood piles, timber.

ASSOCIATED RELATIONSHIP or CONTEXT: Usually still surrounded by forest or wooded/shrubby remains.

Feature type: **HARVEST-AREA**

Satellite snapshot:



(Alberta Environment and Sustainable Resource Development, 2014)


Feature type: **HARVEST-AREA**

Aerial Photo:



Feature type: **HARVEST-AREA**

Aerial Photo:




Feature type: **HARVEST-AREA**

Terrestrial Photo:



Spatial Distribution [Number of features]:



19 PIPELINES

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
PIPELINE	1901	Pipeline	Energy and Mining	19	A line of underground and over ground pipes, of substantial length and capacity, used for the conveyance of petrochemicals.
RIS-PIPELINE	1902	Pipeline	Energy and Mining	19	Includes areas disturbed for pipelines and the right of way area designated for pipeline.

Note: "RIS" features were imported from Reclamation Information System (GoA) based on Cross-reference table (Table 2.)

Definition:

A line of underground and over ground pipes, of substantial length and capacity, used for the conveyance of petrochemicals. Construction creates linear disturbance features >10 m wide.

Buffered to 12 m - each side from the centerline (24 m in total width of the corridor) for BASEFE features.

Buffered to measured width for ABMI14, ABMI15 and ABMI16 features.

Source:

'ABMI' – data updated by ABMI prior to HFI_2014 update,

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'BASEFE' – data obtained from the Government of Alberta under the Open Data License. Data

source: http://www.altalis.com/products/base/20k_base_features.html,

'RIS' – Reclamation Information System (RIS) data obtained from the Government of Alberta, Alberta Environment and Parks

Interpretation Elements and Rules:

SIZE: Variable.

SHAPE: Variable

SHADOW: no shadows

COLOR: shades of green or brown/grey depending on vegetation cover of the corridor

TEXTURE: usually finer texture as a result even vegetation on the corridor

ASSOCIATED RELATIONSHIP or CONTEXT:

Corridor connects energy users with energy providers.

Feature type: **PIPELINES**

Satellite snapshot:



Feature type: **PIPELINES**

Terrestrial Photo:




Feature type: **PIPELINES**

Terrestrial Photo:



Spatial Distribution [Number of features]:



20 SEISMIC LINES

Feature types:

FEATURE_TY	Code	Public Code	Category	Order	Feature Description
LOW-IMPACT-SEISMIC	2001	Seismic line	Energy and Mining	20	A polygon feature class derived from a 1.5-meter buffer (3 meter total width) of a pre-low-impact-seismic centerline.
PRE-LOW-IMPACT-SEISMIC	2002	Seismic line	Energy and Mining	20	A polygon feature class derived from a 3-meter buffer (6 meter total width) of a pre-low-impact-seismic centerline.
TRAIL	2003	Seismic line	Energy and Mining	20	A polygon feature class derived from a 2-meter buffer (4 meter total width) of a pre-low-impact-seismic centerline.

Source:

'ABMI14' – data updated by ABMI during HFI_2014 update,

'ABMI15' – data updated by ABMI during HFI_2015 update,

'ABMI16' – data updated by ABMI during HFI_2016 update,

'ABMI37' – data updated by ABMI during temporal human footprint on sample scale update,

'AHFMP' – data updated by Alberta Human Footprint Mapping Program for HFI 2016 update

Buffered to:

TRAIL = 2m half width (**4m full width**)

PRE-LOW-IMPACT-SEISMIC = 3m half width (**6m full width**)

LOW-IMPACT-SEISMIC = 1.5m half width (**3m full width**)

Details of AHFMP processing steps and User Guide are included in these documents:

AHFMP - Seismic User Guide 2014 Footprint Ver3.docx

Disclaimer:

Seismic lines currently available in the ABMI's HFI are not complete representation of the seismic lines existing on the land surface. The ABMI's sampling scale HF dataset (3x7km) should be used for a more detailed representation of this sub-layer.

Feature type: **PRE-LOW-IMPACT-SEISMIC**

Aerial Photo:



Feature type: **PRE-LOW-IMPACT-SEISMIC**

Aerial Photo:




Feature type: **PRE-LOW-IMPACT-SEISMIC**

Terrestrial Photo:



Spatial Distribution [Number of features]:



7. Linear Features

This dataset consists of digital representations of linear features, centerlines (Geometry Type: Polylines) within the HFI2016 dataset, including: pipelines, roads, railways, transmission lines, and seismic lines.

Disclaimer:

Linear Features dataset should be used as a supporting dataset to polygonal representation of HF features available in HFI2016. There are areas where human footprint is captured in polygon layers (HFI_2016 and Sublayers), but is still missing in the Linear Features (Polylines).

Available attribute values of the Linear Features dataset are limited. Polygon layers (HFI_2016 and Sublayers) should be used for geographic extent and more complete thematic information (i.e., available attribution, including source of the data).

ROAD

Feature Class: **o03_Road_Centerlines_HFI2016**

Feature type list:

'AIRP-RUNWAY' 'FERRY-ROUTE' 'FORD-WINTER-XING' 'INTERCHANGE-RAMP' 'ROAD'
'ROAD-GRAVEL-1L' 'ROAD-GRAVEL-2L' 'ROAD-PAVED-1L' 'ROAD-PAVED-2L' 'ROAD-PAVED-3L' 'ROAD-PAVED-4L' 'ROAD-PAVED-5L' 'ROAD-PAVED-6L' 'ROAD-PAVED-7L'
'ROAD-PAVED-DIV' 'ROAD-PAVED-UNDIV-1L' 'ROAD-PAVED-UNDIV-2L' 'ROAD-PAVED-UNDIV-4L' 'ROAD-UNCLASSIFIED' 'ROAD-UNIMPROVED' 'ROAD-UNPAVED-1L' 'ROAD-UNPAVED-2L' 'ROAD-WINTER-ACCESS' 'ROAD-WINTER-ROAD' 'TRAIL-ATV' 'TRUCK-TRAIL'

Number of features: 1,052,050

RAILWAY

Feature Class: **o04_Rail_Centerlines_HFI2016**

Feature type list:

'RLWY' 'RLWY-ABANDONED' 'RLWY-DBL-TRACK' 'RLWY-MLT-TRACK' 'RLWY-SGL-TRACK'
'RLWY-SPUR'

Number of features: 1,974

TRANSMISSION LINES

Feature Class: **o13_TransmissionLines_Centerlines_HFI2016**

Feature type list:

'TRANSMISSION-LINE'

Number of features: 2,478

PIPELINE

Feature Class: **o19_Pipelines_Centerlines_HFI2016**

Feature type list:

'PIPELINE'

Number of features: 463,893

SEISMIC LINES


Feature Class: **o20_SeismicLines_Centerlines_HFI2016**

Feature type list:

'LOW-IMPACT-SEISMIC' 'PRE-LOW-IMPACT-SEISMIC' 'SEISMIC-TRAIL' 'TRAIL'

Number of features: 3,922,866

Spatial Distribution [Number of features]:



Appendix

Attribute List

		FEATURE_TY	SOURCE	YEAR	HFL_ID	BNDRY_SOURCE
20	Seismic Lines					
19	Pipelines					
18	Harvest Areas			✓		
17	Cultivation					
16	Well Sites Abandoned			✓		
15	Residential Areas					
14	CFO					
13	Transmission Lines					
12	Wind_Gen_Facilities			✓		
11	Other Vegetated Surfaces and Recreation					
10	Landfill			✓		
9	Well Sites Active			✓		
8	Industrial Sites					
7	Mine Sites			✓		
6	Verge					
5	Canals					
4	Railways					
3	Roads					
2	Borrow Pits, Sumps, Dugouts, Lagoons					
1	Reservoirs			✓		

YEAR – approximate HF year of origin




Figure 1: Spatial distribution of satellite imagery available for 2016 SPOT6 mosaic




Figure 2: Spatial distribution of 2016 Human Footprint features

Data References

Title	Association Type	Location/Reference
Alberta Vegetation Inventory (AVI)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Grassland Vegetation Inventory (GVI)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Primary Land and Vegetation Inventory (PLVI)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Alberta Human Footprint Mapping Project (AHFMP)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Reclamation Information System (RIS)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Government of Alberta (SRDSPT)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Digitally Integrated Dispositions (DIDs)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Alberta Vegetation Inventory Enhanced (AVIE)	Source	Government of Alberta, 2016. Data provided by Alberta Human Footprint Mapping Project (AHFMP), https://open.alberta.ca/opendata/ahfmp
Special Areas (SPAREA)	Source	The Special Areas; specialareas.ab.ca
Land Use Classification in the Special Areas of Alberta	Source	Publication No. 731; technical Bulletin No.39; Issued: February. 1942
SPOT6 Satellite Imagery 2016	Source	Alberta Environment and Sustainable Resource Development, 2016. <i>Informatics Branch, 1.5 m Colour SPOT 6 Mosaic</i> . Retrieved from http://environment.alberta.ca/
Valtus Orthophoto Mosaic	Reference	Alberta Environment and Parks, 2016. <i>Informatics Branch</i>
IRS Satellite	Reference	Alberta Environment and Parks, 2016. <i>Informatics Branch</i>

Base Features (BASEFE)	Source	Government of Alberta, 2016. Open Data License, Retrieved from http://www.altalis.com/products/base/20k_base_features.html
Google Maps	Reference	https://maps.google.ca
Google Earth Engine-Google Time-lapse	Reference	https://earthengine.google.com/timelapse/
Alberta Recycling Management Authority	Reference	http://www.albertarecycling.ca/collection-site-search-results
City of Calgary	Source	https://data.calgary.ca/Base-Maps/Land-Use-Polygons/gbpby-mc5/about
Alberta Environment and Sustainable Resource Development	Reference	Alberta Environment and Sustainable Resource Development, 2014. <i>Informatics Branch, 1.5 m Colour SPOT 6 Mosaic</i> . Retrieved from http://environment.alberta.ca/
Hricko	Reference	Hricko, B., n.d. <i>ABMI Human Footprint Image</i> . Unpublished photograph.
Valtus Imagery Services	Reference	Valtus Imagery Services, 2010. <i>Valtus Imagery</i> . Retrieved from http://www.valtus.com/
Valtus Imagery Services	Reference	Valtus Imagery Services, 2011. <i>Valtus Imagery</i> . Retrieved from http://www.valtus.com/
Valtus Imagery Services	Reference	Valtus Imagery Services, 2012. <i>Valtus Imagery</i> . Retrieved from http://www.valtus.com/
Valtus Imagery Services	Reference	Valtus Imagery Services, 2013. <i>Valtus Imagery</i> . Retrieved from http://www.valtus.com/
Valtus Imagery Services	Reference	Valtus Imagery Services, n.d. <i>Valtus Imagery</i> . Retrieved from http://www.valtus.com/
Venskaitis	Reference	Venskaitis, S., n.d. <i>Human Footprint Image</i> . Unpublished photograph.
Williams	Reference	Williams, E., n.d. <i>ABMI Human Footprint Image</i> . Unpublished photograph.
Quality Farm Dugouts (3rd Edition)	Reference	http://www1.agric.gov.ab.ca/\$department/deptdocs.nsf/all/agdex15866

Alberta Vegetation Inventory Standards and Data Model Documents	Reference	https://www.agriculture.alberta.ca/app21/forestry?page?cat1=Vegetation%20Inventory%20Standards
Grassland Vegetation Inventory Standards	Reference	https://geodiscover.alberta.ca/geoportal/catalog/search/resource/details.page?uuid=%7BD3AB9031-8EC0-4589-9335-C1E50AE05992%7D
Primary Land and Vegetation Inventory Standards	Reference	https://geodiscover.alberta.ca/geoportal/catalog/search/resource/details.page?uuid=%7BF640CD9D-C232-481D-9CFF-7A7B66E51E49%7D
road_album_2.ppt	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
Alberta Transportation Guide to Reclaiming Borrow Excavations – 2013 Edition	Reference	www.transportation.alberta.ca/Content/docType245/Production/borrowguide.pdf
AHFMP_Footprint Data Manual.docx	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP),
AHFMP - Road Processing 2014 Footprint.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP),
AHFMP - Well Pad User Guide 2014 Footprint.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
AHFMP - Well Pad Procedures for 2014 Footprint.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
AHFMP - Well Pad User Guide 2014 Footprint.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
AHFMP_Cultivation_User_Guide_Footprint_HFI_2014 FTv2.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)

AHFMP_Cultivation_User_Guide_HFI_2014.pdf	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
ISO 19131_AAFC_Annual_Crop_Inventory_Data_Product_Specifications.pdf	Reference	Agriculture and Agri-Food Canada (AAFC); AAFC Crop Inventory, 2014
AHFMP - Seismic User Guide 2014 Footprint Ver3.docx	Reference	Government of Alberta document, provided by Alberta Human Footprint Mapping Project (AHFMP)
AAFC Annual Crop Inventory Data	Source	http://www.agr.gc.ca/atlas/data_donnees/agr/annualCropInventory/tif/

Thematic Accuracy

SOURCE	Collection	Source Category	Accuracy [%]
External	Inventories	AVI - Photo Interpretation Audit	≥ 90%
		GVI	≥ 65%
		PLVI	≥ 90%

Spatial (Horizontal) Accuracy

SOURCE	Collection	Source Category	Accuracy [+-m]
External	Base features	1:20 000 Provincial Digital Mapping Program	5
		Alberta 1:50 000 Access Mapping	50
		GPS field data	25
		IRS-1C/1D imagery	25
		NTDB data	100
		Federal hydrography	100
		Orthophoto imagery	10
		Aerial photography	10
		SRD regional investigation	25
		Ikonos imagery	10
		Derived from supplementary data	25
		SPOT imagery	2.5
	Inventories	Alberta Vegetation Inventory	20
		GVI upland	5
		GVI wetland	2
		PLVI	5
	Cadastral	Cadastral urban	0.15
		Cadastral rural	3
ABMI	ABMI	Heads-up digitization SPOT "green zone"	10 - 20
Buffer	Buffer	Calculated RMSE per feature type	