

Lidar Mean Height of Vegetation Metadata

June 2024



ABMI ALBERTA BIODIVERSITY
MONITORING INSTITUTE



Overview

Summary

This dataset consists of files in GeoTiff format. The dataset is derived from lidar point cloud data. The dataset is intended to aid in the visualization and interpretation of point cloud data for use in landscape and vegetation analysis.

Description

This dataset provides the mean height of vegetation and other above-ground features.

Methods

The Mean Height of Vegetation (mH) is produced using the LidR package^{1,2} and dependencies in R. The `pixel_metrics()` function is used to calculate the mean height values of the point cloud. The function takes the `nlas` filter as input and applies the `mean(z)` function to calculate mean height for each pixel on the raster. The resulting mH raster output is GeoTiff format with a file name derived from the original las file name appended with “_mH.tif”.

Credits

This dataset includes products derived from lidar data collected and processed by the ABMI.

Acknowledgements

We would like to acknowledge Brank Hricko, Stephanie Andrews, Amber Becker, John Simms and other ABMI staff, for the processing of lidar data to derivative files provided here. We would also like to acknowledge several funders who supported the project including the Government of Alberta and the Oil Sands Monitoring Program.

Contact Information

If you have questions or concerns about the data, please contact:

Geospatial Centre
Alberta Biodiversity Monitoring Institute
CW 405 Biological Sciences Centre
University of Alberta
Edmonton, Alberta, Canada, T6G 2E9
Email: abmiinfo@ualberta.ca

¹ Roussel J, Auty D, Coops NC, Tompalski P, Goodbody TR, Meador AS, Bourdon J, de Boissieu F, Achim A (2020). “lidR: An R package for analysis of Airborne Laser Scanning (ALS) data.” *Remote Sensing of Environment*, 251, 112061. ISSN 0034-4257, doi:10.1016/j.rse.2020.112061, <https://www.sciencedirect.com/science/article/pii/S0034425720304314>.

² Roussel J, Auty D (2023). *Airborne LiDAR Data Manipulation and Visualization for Forestry Applications*. R package version 4.0.3, <https://cran.r-project.org/package=lidR>.



Keywords

LiDAR, Digital Elevation Model, Canopy Height Model, Tree Height, Mean Height, Vegetation Height, LidR

Citation

Alberta Biodiversity Monitoring Institute. Lidar Mean Height of Vegetation Metadata (Version 1.5). Last modified June 10, 2024.

Use Limitations

By accessing the Data, you agree to indemnify and hold harmless the ABMI and the ABMI's subsidiaries, affiliates, related parties, officers, directors, employees, agents, independent contractors, advertisers, partners, and co-branders, from any and all actions, proceedings, claims, demands, liabilities, losses, damages, and expenses which may be brought against or suffered by the ABMI or which it may sustain, pay or incur, arising or resulting from your violation of this clause.

The Data is provided on an "As Is" and "As Available" basis and the ABMI does not guarantee that the Data will be suitable for your purposes or requirements. Any interpretation of or reliance upon the Data is at your own cost and risk. The ABMI further states that the Data is subject to change, and the ABMI gives no guarantee that the content is complete, accurate, error or virus free, or up to date. The ABMI disclaims all warranties, conditions, and other terms of any kind, whether express or implied, whether in contract, tort (including liability for negligence) or otherwise, including, but not limited to any implied term of satisfactory quality, fitness for a particular purpose, non-infringement of intellectual property, and any standard of reasonable care and skill. While every effort has been made to ensure that the Data is complete, accurate, and current, the ABMI, their employees are not liable for any loss or damage arising directly or indirectly from the possession, publication, or use of, or reliance on, that information.

The ABMI recognizes the value of open data, data collaborations, and the efforts of our data collaborators and partners in the collection of the Data. For this reason, the Data is freely available for non-commercial use, including, but not limited to, research and educational purposes. No use of the Data may be made for resale without prior permission in writing from the ABMI.

Data Product Specifications

Spatial Resolution

The spatial resolution for mH: 1 metre

Processing Environment

The processing environment to produce the GeoTiffs and shapefile is the R programming language, which includes R 4.2, Rtools 4.2 and RStudio Version:2023.06.0. The list of packages utilized includes LidR, raster, rgdal, sf, sp, spatial, and terra.

Resource Maintenance

Resource maintenance update frequency: as needed



Spatial Reference

Projected Coordinate System: NAD 1983 CSRS UTM Zone 11N

Projection: Transverse Mercator

WKID: 2955

Authority: EPSG

Linear unit: Metres (1.0)

False Easting: 500000.0

False Northing: 0.0

Central Meridian: -117.0

Scale Factor: 0.9996

Latitude Of Origin: 0.0

Geographic Coordinate System: NAD 1983 (CSRS)

Angular Unit: Degree (0.0174532925199433)

Datum: D North American 1983 CSRS

Spheroid: GRS 1980

Semimajor Axis: 6378137.0

Semiminor Axis: 6356752.314140356

Inverse Flattening: 298.257222101

NAD_1983_10TM_AEP_Forest

WKID: 3400 Authority: EPSG

Projection: Transverse Mercator

False Easting: 500000.0

False Northing: 0.0

Central Meridian: -115.0

Scale Factor: 0.9992

Latitude of Origin: 0.0

Linear Unit: Meter (1.0)

Geographic Coordinate System: GCS_North_American_1983

Angular Unit: Degree (0.0174532925199433)

Prime Meridian: Greenwich (0.0)

Datum: D_North_American_1983

Spheroid: GRS_1980

Semi-major Axis: 6378137.0

Semi-minor Axis: 6356752.314140356

Inverse Flattening: 298.257222101

Projected Coordinate System: NAD 1983 CSRS UTM Zone 12N

Projection: Transverse Mercator

WKID: 2956

Authority: EPSG

Linear unit: Meters (1.0)

False Easting: 500000.0

False Northing: 0.0



Central Meridian: -111.0
Scale Factor: 0.9996
Latitude Of Origin: 0.0
Geographic Coordinate System: NAD 1983 (CSRS)
Angular Unit: Degree (0.0174532925199433)
Datum: D North American 1983 CSRS
Spheroid: GRS 1980
Semimajor Axis: 6378137.0
Semiminor Axis: 6356752.314140356
Inverse Flattening: 298.257222101
NAD_1983_10TM_AEP_Forest
WKID: 3400 Authority: EPSG
Projection: Transverse Mercator
False Easting: 500000.0
False Northing: 0.0
Central Meridian: -115.0
Scale Factor: 0.9992
Latitude of Origin: 0.0
Linear Unit: Meter (1.0)
Geographic Coordinate System: GCS_North_American_1983
Angular Unit: Degree (0.0174532925199433)
Prime Meridian: Greenwich (0.0)
Datum: D_North_American_1983
Spheroid: GRS_1980
Semi-major Axis: 6378137.0
Semi-minor Axis: 6356752.314140356
Inverse Flattening: 298.257222101

Lineage

The ABMI's Mean Height of Vegetation was built using ABMI collected lidar data. This dataset is divided into tiles and represents the mean height of vegetation and above-ground features on the landscape, as processed from the available lidar data.